




Audi Q5 (type: FYB)

01/'17-


- ✓ S-LINE
- ✓ PLUG-IN HYBRID



Audi Q5 Sportback (type: FYT)

01/'17-

- ✓ S-LINE
- ✓ PLUG-IN HYBRID







MADE BY 	D 12,60	F	E6
BELGIUM	S 115	EC-N° 55R-02 1718	
REF N° 2625		SERIAL N° XXXX	
DESCRIPTION Audi Q5			





$$D = \frac{\text{max kg} \times \text{max kg}}{\text{max kg} + \text{max kg}} \times 0.00981 \leq 12,60 \text{ kN}$$


max kg



max kg


$\times$


max kg





max kg


$+$


 $S = \leq 115 \text{ kg}$


 $\leq 2400 \text{ kg}$

See the Certificate Of Conformity (COC) of your vehicle or contact your dealer to verify the max. trailer weight of your car!










helpdesk@gdwtowbars.com

+32 56 62 77 79

Monday	08:00 - 12:00	12:30 - 16:30
Tuesday	08:00 - 12:00	12:30 - 16:30
Wednesday	08:00 - 12:00	12:30 - 16:30
Thursday	08:00 - 12:00	12:30 - 16:30
Friday	08:00 - 12:00	12:30 - 15:30






1		X1	GDW REF. 2625
2		X2	GDW REF. 2
3		X1	GDW REF. 3
4		X2	DIN933-M10x40_10.9
5		X2	DIN128A-M10
6		X2	DIN9021-M10-ELVZ
7		X8	DIN933-M12x40_10.9
9		X8	DIN125-A12-140HV-ELVZ
10		X8	DIN128A-M12
12		X4	DIN934-M12-KL10
-P		X1	PO4
-S		X1	GDW REF. 900.053

ONLY FOR PLUG-IN HYBRID


ONLY FOR PLUG-IN HYBRID

ONLY FOR PLUG-IN HYBRID


Geleverd met - Livré avec - Delivered with Gefleert mit - Elementos adjuntos-Leveres med		
	X1	944.J039
	X2	GDW REF. 900.008
	X2	GDW REF. 900.011 Ø 21.3 X 11.7
	X4	DIN931-M12 X 70
	X4	DIN985-M12

OPTION T36		
	X1	KIT36-2625



1





2





3




4








7





8









ONLY PLUG-IN
HYBRID








ONLY PLUG-IN
HYBRID







STANDARD



ONLY PLUG-IN
HYBRID



STANDARD

ONLY PLUG-IN
HYBRID

21



A X2 GDW REF. 900.008


B X2 GDW REF. 900.011
Ø 21,3 X 11,7

C X2 DIN931-M12 X 70

D X2 DIN985-M12



-P X1 PO4




-S X1 GDW REF. 900.053



22


ONLY Q5 Sportback






93,0 Nm

A



X1 944.J039

B





X2 DIN931-M12 X 70

C



X2 DIN985-M12





OPTION T36



X1

KIT36-2625

