




TREKHAKEN • ATTELAGES • ANHÄNGERVORRICHTUNGEN • TOWBARS • ENHANCES • ANHÆNGERTRÆK • GANCI DI TRAINO

Montagehandleiding | instructions de montage | Einbauanleitung | Mounting instruction
Instrucciones de montaje | monteringsvejledning | istruzioni di montaggio


Maxus Deliver 9 (van)

07/'20-





Maxus Deliver 9 (chassis cab)





01/'22-





SCAN FOR THE
LATEST VERSION






1		X1	GDW REF. 2736
2		X2	GDW REF. 2
3		X2	GDW REF. 3
4		X2	GDW REF. 4
5		X2	GDW REF. 5
6		X4	DIN931-M14 X 120
7		X8	DIN125-A14-14OHV- ELVZ
8		X4	DIN128A-M14
9		X4	DIN934-M14
10		X10	DIN933-M12 X 50
11		X16	DIN125-A12-14OHV- ELVZ
12		X10	DIN128A-M12
13		X6	DIN934-M12
14		X1	DIN933-M10 X 35
15		X1	DIN125-A10-14OHV- ELVZ
16		X1	DIN128A-M10
17		X1	DIN934-M10


-P		X1	GDW REF. P29
----	---	----	--------------



Geleverd met - Livré avec - Delivered with Geliefert mit - Elementos adjuntos - Leveres med - Forniti insieme		X1	740.000
		X2	DIN128A-M16
		X2	DIN933-M16 X 50
		X2	DIN934-M16

3




4










7




8




ONLY FOR CHASSIS CAB**ONLY FOR CHASSIS CAB**







**CHASSIS CAB
SHORT**






**CHASSIS CAB
LONG**






VAN



15




16






17



148,0 Nm





93,0 Nm






18




148,0 Nm




93,0 Nm



19




54,0 Nm

*
14

-p

-P



X1 GDW REF. P29

9



X1 DIN125-A10-14OHV- ELVZ

10



X1 DIN933-M10 x 35

11



X1 DIN128A-M10

12



X1 DIN934-M10

15

16

17


20

A

A

*
C

A



X1 740.000

B



X2 DIN128A-M16

C



X2 DIN933-M16 x 50 (10.9)

D



X2 DIN934-M16 (KL10)

B

A

*
C

320,0 Nm

*
24