



TREKHAKEN • ATTELAGES • ANHÄNGERVORRICHTUNGEN • TOWBARS • ENHANCES • ANHÆNGERTRÆK

Montagehandleiding | instructions de montage | Einbauanleitung | Mounting instruction
Instrucciones de montaje | monteringsvejledning




Seat Leon ST (Facelift)

01/'18-

☒ STANDARD

☒ FR


☒ CUPRA




MADE BY 	D 10,10	F	E6
BELGIUM	S 100	EC APPROVAL N° 55R-011451	
REF N° 2289	SERIE N° 		
OMSCHRIJVING Seat Leon ST (Facelift) 01/'18-			


$$D = \frac{\begin{array}{c} \text{car} \\ \text{max kg} \end{array} \times \begin{array}{c} \text{trailer} \\ \text{max kg} \end{array}}{\begin{array}{c} \text{car} \\ \text{max kg} \end{array} + \begin{array}{c} \text{trailer} \\ \text{max kg} \end{array}} \times 0.00981 \leq 10,10 \text{ kN}$$




$$S = \begin{array}{c} \downarrow \\ \text{hook} \end{array} = 100 \text{ kg} \quad \begin{array}{c} \text{trailer} \\ \text{hook} \end{array} = 2050 \text{ kg}$$








TX20 TX25 TX30 10 13 17 19






1		X1	GDW REF. 2289
2		X1	GDW REF. 2
3		X1	GDW REF. 3
4		X4	DIN125-A10-140HV- ELVZ
5		X8	DIN128A-M10
6		X4	DIN9021-M10-ELVZ
7		X8	DIN933-M10X35
8		X4	DIN934-M10
-V		X1	GDW REF. 908.097
-S		X1	GDW REF. 900.053


-P		X1	GDW REF. P41
L		X1	DIN985-M6
L		X2	6,2 X 15,4 X 1,6 (NYLON)
L		X1	GDW REF. 718.16.002
L		X1	GDW REF. 718.16.003
L		X1	GDW REF. 908.094
L		X1	DIN933-M6 X 30
L		X1	GDW REF. 908.097

Geleverd met - Livré avec - Delivered with Gelevert mit - Elementos adjuntos - Leverages med - Forniti insieme		
	X1	944.J039
	X4	DIN931-M12 X 70
	X4	DIN985-M12
	X2	GDW REF. 900.011 Ø 21,3 X 11,7
	X1	GDW REF. 900.025
	X1	GDW REF. 900.026



1




1










2




2










1




TX25




2




1










TX25




2













54,0 Nm






A  X1 GDW REF. 908.097

B  X1 DIN985-M6


C  X2 6,2 X 15,4 X 1,6 (NYLON)


D  X1 GDW REF. 718.16.002


E  X1 GDW REF. 718.16.003

F  X1 GDW REF. 908.094

G  X1 DIN933-M6 X 30



A  X1 GDW REF. 900.026


B  X1 GDW REF. 900.025





C  X2 DIN931 M12 X 70




D  X2 DIN985 M12



E  X2 GDW REF. 900.011


-S  X1 GDW REF. 900.053







A		X1	944.J039
B		X2	DIN931-M12 X 70
C		X2	DIN985-M12



Olifant trekhaken