




GDW@GTDWTOWBARS.COM

FAX +32 (0)56 600193

TEL +32 (0)56 604212

GDW NV - HOOGMOLENWEGEL 23 - B - 8790 WAREGEM

## SKODA YETI 4x4 08/'09-



# SKODA YETI 4x4 08/'09-


See the Certificate Of Conformity (COC) of your vehicle or contact your dealer to verify the max. trailer weight of your car!


|                                                                                   |                |                                            |           |
|-----------------------------------------------------------------------------------|----------------|--------------------------------------------|-----------|
| MADE BY                                                                           | <b>D 10,45</b> | <b>F</b>                                   | <b>e6</b> |
|  | <b>S 90</b>    | <b>EC APPROVAL N°</b><br><b>55R-011465</b> |           |
| BELGIUM                                                                           |                |                                            |           |
| REF.N°                                                                            | <b>1792</b>    | <b>SERIE N°</b><br><b>XXXX</b>             |           |
| <b>OMSCHRIJVING</b><br><b>SKODA YETI 4x4 08/'09-</b>                              |                |                                            |           |


$$D = \frac{\text{MAX KG}}{\text{MAX KG}} \times \frac{\text{MAX KG}}{\text{MAX KG}} \times 0,00981 \leq 10,45 \text{ kN}$$


$$S = \text{MAX KG} + \text{MAX KG} = 90 \text{ KG} \quad \text{MAX} = 2100 \text{ KG}$$

|      |  M 6 | M8      | M10     | M12      | M14      | M16      |
|------|---------------------------------------------------------------------------------------|---------|---------|----------|----------|----------|
| 8.8  | 10,4 Nm                                                                               | 25,0 Nm | 51,0 Nm | 87,0 Nm  | 140,0 Nm | 215,0 Nm |
| 10.9 | 15,5 Nm                                                                               | 37,0 Nm | 75,0 Nm | 130,0 Nm | 205,0 Nm | 310, Nm  |
| 12.9 | 18,0 Nm                                                                               | 43,0 Nm | 87,0 Nm | 150,0 Nm | 240,0 Nm | 370,0 Nm |









|   |                                                                                     |     |                                 |
|---|-------------------------------------------------------------------------------------|-----|---------------------------------|
| 1 |  | 1 x | GDW ref. 1792                   |
| 2 |  | 1 x | GDW ref. P04                    |
| 3 |  | 4 x | GDW ref. 905.003<br>Ø40x35x12x4 |
| 4 |   | 4 x | DIN128A-M10                     |
| 5 |    | 4 x | DIN933-M10x35                   |

| Geleverd met - Livré avec - Delivered with<br>Geliefert mit - Elementos adjuntos-Leveres med |     |                                   |
|----------------------------------------------------------------------------------------------|-----|-----------------------------------|
|           | 1 x | 944.J006                          |
|           | 2 x | GDW ref. 900.008                  |
|           | 2 x | GDW ref. 900.011<br>Ø 21.3 L=11.7 |
|           | 1 x | GDW ref. 900.053                  |
|            | 4 x | DIN931-M12x70                     |
|             | 4 x | DIN985-M12                        |

Olifant trekbarren




2




10



3




TX25






8

4






5










6




7







8




|   |  |    |                                   |
|---|--|----|-----------------------------------|
| B |  | 2x | GDW ref. 900.008                  |
| C |  | 2x | GDW ref. 900.011<br>Ø 21.3 L=11.7 |
| E |  | 2x | DIN931-M12x70                     |
| F |  | 2x | DIN985-M12                        |
| 2 |  | 1x | GDW ref. P04                      |




9






10




11



12



|   |                                                                                     |    |                  |
|---|-------------------------------------------------------------------------------------|----|------------------|
| A |  | 1x | 944.J006         |
| D |  | 1x | GDW ref. 900.053 |
| E |  | 2x | DIN931-M12x70    |
| F |  | 2x | DIN985-M12       |

13

